Asphalts
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Barriers
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).

Bars
Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).
Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Binders, materials
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Bitumen
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Blocks
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Bonding strength
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).
Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Bottom ash
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Boundary element method
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Brick masonry
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Bricks
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Bridge maintenance
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Bridges, suspension
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Building frames
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Building materials
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Bulk density
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).

Buried pipes
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Calcium sulfate
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Carbon
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Carbonation
Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).

Cast iron
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Cathodic protection
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Cements
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).
Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).
Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Clays
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Color
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Compaction
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).
Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Composite materials
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Compression
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Compressive strength
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).
Application of Neural Networks for Estimation of

Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Compressive tests

Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).

Computer software

Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Concentrated loads

Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Concrete

Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).

Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).

Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).

Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).

Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).

Concrete blocks

Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Concrete structures

Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Concrete, reinforced

Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Configuration

Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Constitutive models

Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Constitutive relations

Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Construction materials

Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Corrosion

Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Corrosion control

Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Crack propagation

Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Cracking

Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).

Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Creep

Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Cyclic loads

Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Cyclic tests

Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Damage assessment

Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Data analysis

Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Deformation

Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Density

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Digital techniques

Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Dilatancy

Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Discrete elements

Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Ductility

Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Durability
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Environmental issues
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).

Epoxy coatings
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).

Estimation
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Expansion
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).

Experimentation
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Failure load
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Failures
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Fatigue
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Fatigue strength
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Fatigue tests
Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Fiber reinforced materials
Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Fiber reinforced plastics
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Fiber reinforced polymers
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Finite element method
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Fire resistance
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Flexible pavements
Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).

Flexible pipes
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Flexural strength
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Flexure
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).

Flocculation
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).

Fluid flow
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Fly ash
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).
Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).

Fracture mechanics
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).

Fractures
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Freeze-thaw
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Friction
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).

Glass
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Gradients
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

High strength concretes
Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).
Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).
Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Hydration
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Image analysis
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).
Interaction models
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).
Laboratory tests
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).
Landfills
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).
Lightweight concrete
Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 575-7 (2004).
Linear analysis
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).
Loads
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).
Masonry
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).
Material failure
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).
Material failures
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).
Material properties
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).
Mechanical properties
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).
Metals
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).
Micromechanics
Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).
Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).
Microscopy
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).
Microstructure
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).
Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).
Mineral analysis
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).
Mineralogy
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).
Mixing
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).
Mixtures
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).
Models
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).
Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).
Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).
Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Moisture
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).
Mortars
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).
Neural networks
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Nevada
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Nonlinear analysis
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Particle interactions
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Particles
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Pavement deterioration
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Pavements
Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).
Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Permeability
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Piles
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Pipes
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Plastic pipes
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Plastics
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).
Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).

Plates
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Polyethylene
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Polymer concrete
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Polymers
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Porosity
Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).
Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Portland cements
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Pull-out resistance
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Pumice
Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Quality control
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Radiography
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Radon
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Recycling
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).
Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).
Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).
Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Rehabilitation
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Residual strength
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Rheological properties
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Rheology
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Rubber
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).

Sampling

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Seismic analysis

Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Shear strength

Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Shear stress

Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).

Shrinkage

Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Simple shear tests

Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Slabs

Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Slag

Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).

Soil stabilization

Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Splitting

Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Stability

Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Statistical analysis

Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Steel

Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).

Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Steel cables

Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Stiffness

Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Strain distribution

Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Strain rate

Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Strength

Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).

Stress analysis

Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Stress strain curves

Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Stripping

Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Subgrades

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Temperature

Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).

Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).

Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Temperature effects

Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Tensile strength

Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Textiles

Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Thailand

Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Thermal analysis

Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Thermal insulation

Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).

Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Thermal properties

Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Thermodynamics

Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Ties

Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Time dependence

Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).

Tires

Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).

Triaxial tests

Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Underground structures
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).
Underwater structures
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).
Veneers
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).
Verification
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Viscoelasticity
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).
Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).
Viscoplasticity
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).
Viscosity
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).
Walls
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).
Waste storage
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).
Water pipelines
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).
Weathering
Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).
Wood
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).
Wood floors
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).
Wood products
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).
X-ray analysis
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).
Yield stress
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).
Zinc
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Author Index

Abbas, A. R.
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Aiello, M. A.
Cracking and Deformability Analysis of Reinforced Concrete Beams Strengthened with Externally Bonded Carbon Fiber Reinforced Polymer Sheets. — M. A. Aiello and L. Ombres; 16(5), 392-9 (2004).

Airey, Gordon D.
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Akcay, Burcu
Variation of In-Place Concrete Core Strength in Structures from Istanbul Area: Statistical Analysis of Concrete Core Data. — Burcu Akcay; 16(5), 507-10 (T) (2004).

Albrecht, Pedro
Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Al-Omari, Aslam
Analytical Derivation of Permeability and Numerical Simulation of Fluid Flow in Hot-Mix Asphalt. — Eyad Masad, Bjorn Birgisson, Aslam Al-Omari, and Allen Cooley; 16(5), 487-96 (2004).

Altoubat, Salah A.
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Anderson, R. Michael
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Atiş, Cengiz Duran
Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).

Atkinson, Alan
Selection of Cementitious Mixes as a Barrier for Landfill Leachate Containment. — Eshmaiel Ganjian, Peter A. Claisse, Mark Tyrer, and Alan Atkinson; 16(5), 477-86 (2004).

Bastianini, F.
Mechanical and Nondestructive Testing to Verify the Effectiveness of Composite Strengthening on Historical Cast Iron Bridge in Venice, Italy. — F. Bastianini, L. Ceriolo, A. Di Tommaso, and G. Zaffaroni; 16(5), 407-13 (2004).

Bayer, Jack J., Jr.
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Bayomy, Fouad
Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Benda, Christopher C.
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Bhattacharjee, B.
Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Birgisson, B.
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Birgisson, Bjorn
Analytical Derivation of Permeability and Numerical Simulation of Fluid Flow in Hot-Mix Asphalt. — Eyad Masad, Bjorn Birgisson, Aslam Al-Omari, and Allen Cooley; 16(5), 487-96 (2004).

Bonfiglioli, Barbara
Dynamic Testing of Reinforced Concrete Beams Damaged and Repaired with Fiber Reinforced Polymer Sheets. — Barbara Bonfiglioli, Giovanni Pascale, and Sonia Martinez de Mingo; 16(5), 400-6 (2004).

Brounstein, Robert A.
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Brumfield, Jimmy
Investigation of the Gyration Angle of Superpave Gyratory Compactors. — M. Shane Buchanan, Jimmy Brumfield, and Richard Sheffield; 16(5), 444-51 (2004).

Buchanan, M. Shane
Investigation of the Gyration Angle of Superpave Gyratory Compactors. — M. Shane Buchanan, Jimmy Brumfield, and Richard Sheffield; 16(5), 444-51 (2004).

Buttlar, W. G.
Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Cebon, D.
Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Ceriolo, L.
Mechanical and Nondestructive Testing to Verify the Effectiveness of Composite Strengthening on Historical Cast Iron Bridge in Venice, Italy. — F. Bastianini, L. Ceriolo, A. Di Tommaso, and G. Zaffaroni; 16(5), 407-13 (2004).

Chehab, Ghassan R.
Issues Affecting Measurement of the Complex Modulus of Asphalt Concrete. — Jo Sias Daniel, Ghassan R. Chehab, and Y. Richard Kim; 16(5), 469-76 (2004).

Chen, Jian-Shiuh
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Cheng, Fu-Ping
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Choi, Young-Hwan
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Claisse, Peter A.
Selection of Cementitious Mixes as a Barrier for Landfill Leachate Containment. — Eshmaiel Ganjian, Peter A. Claisse, Mark Tyrer, and Alan Atkinson; 16(5), 477-86 (2004).

Cline, Daren B. H.
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Collop, Andrew C.
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Cooley, Allen
Analytical Derivation of Permeability and Numerical Simulation of Fluid Flow in Hot-Mix Asphalt. — Eyad Masad, Bjorn Birgisson, Aslam Al-Omari, and Allen Cooley; 16(5), 487-96 (2004).

Coree, Brian J.
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Craft, A. P.
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Cramer, Steven M.
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Dai, Qingli
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Daniel, Jo Sias
Issues Affecting Measurement of the Complex Modulus of Asphalt Concrete. — Jo Sias Daniel, Ghassan R. Chehab, and Y. Richard Kim; 16(5), 469-76 (2004).

Daniels, John L.
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).

Deshpande, V. S.
Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Dessouky, Samer
Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

DeVenny, Alan S.
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Di Benedetto, Hervé
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Dietrich, B.
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Di Tommaso, A.
Mechanical and Nondestructive Testing to Verify the Effectiveness of Composite Strengthening on Historical Cast Iron Bridge in Venice, Italy. — F. Bastianini, L. Ceriolo, A. Di Tommaso, and G. Zaffaroni; 16(5), 407-13 (2004).

Dondi, Michele
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

Eggers, John
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Falk, Robert H.
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Felton, Colin
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Feng, Maria Q.
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Frantzis, Panagiotis
Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).

Ganjian, Eshmaiel
Selection of Cementitious Mixes as a Barrier for Landfill Leachate Containment. — Eshmaiel Ganjian, Peter A. Claisse, Mark Tyrer, and Alan Atkinson; 16(5), 477-86 (2004).

Garavaglia, Elsa
Reliability of Porous Materials: Two Stochastic Approaches. — Elsa Garavaglia, Angela Gianni, and Chiara Molina; 16(5), 419-26 (2004).

Ghaly, Ashraf M.
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Ghavami, Kh.
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Gianni, Angela
Reliability of Porous Materials: Two Stochastic Approaches. — Elsa Garavaglia, Angela Gianni, and Chiara Molina; 16(5), 419-26 (2004).

Gilchrist, M. D.
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).

Gill, Michael S.
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Gonçalves da Silva, M. A.
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).

Grubb, Dennis G.
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Gunaratne, M.
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Harajli, M. H.
Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Hartman, A. M.
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).

Hooper, F
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Hossain, Khandaker M. Anwar
Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Huang, Baoshan
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Inyang, H. I.
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Inyang, Hilary I.
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).

Isacsson, Ulf
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Janoo, Vincent
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Jaturapitakkul, Chai
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Johnson, William H.
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Kanda, Tetsushi
Multiple Cracking and Fiber Bridging Characteristics of Engineered Cementitious Composites under Fatigue Flexure. — Peerapong Suthiwarapirak, Takashi Matsumoto, and Tetsushi Kanda; 16(5), 433-43 (2004).

Katz, Amnon
Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).

Khalaf, Fouad M.
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Kiattikomol, Kraiwood
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Kim, Doo Kie
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Kim, Jong-In
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Kim, Y. Richard
Issues Affecting Measurement of the Complex Modulus of Asphalt Concrete. — Jo Sias Daniel, Ghassan R. Chehab, and Y. Richard Kim; 16(5), 469-76 (2004).

Kim, Yong-Rak
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).

Kodur, V. K. R.
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Krishnamoorthy, S.
Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Krüger, Markus
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Kumara, M. W.
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

LaFave, James M.
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Lange, David A.
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Lee, Hyun-Jong
Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Li, Guoqiang
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Li, Yongqi
Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Li, Zhuguo
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Li, Zongjin
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Lin, Deng-Fong
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Lin, Kuei-Yi
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Little, D. N.
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).

Little, Dallas N.
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Liu, Chiu
Temperature Field of Mass Concrete in a Pipe Lattice. — Chiu Liu; 16(5), 427-32 (2004).

Liu, J.
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).

Lok, T. S.
Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Lokuge, Weena P.
Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Lopez-Anido, Roberto
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Lu, J. J.
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Lundin, Thomas
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Lundstrom, Robert
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Lundström, Robert
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Luo, Huan-Lin
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Lytton, Robert L.
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Mahboub, Kamyar C.
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Martínez de Mingo, Sonia
Dynamic Testing of Reinforced Concrete Beams Damaged and Repaired with Fiber Reinforced Polymer Sheets. — Barbara Bonfiglioli, Giovanni Pascale, and Sonia Martinez de Mingo; 16(5), 400-6 (2004).

Martínez-Madrid, Miguel
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Masad, E. A.
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Masad, Eyad
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).
Advances in Microstructure Characterization, Micromechanics, and Constitutive Modeling of Hot Mix Asphalt. — Eyad Masad and Louay Mohammad; 16(2), 99 (2004).
Analytical Derivation of Permeability and Numerical Simulation of Fluid Flow in Hot-Mix Asphalt. — Eyad Masad, Bjorn Birgisson, Aslam Al-Omari, and Allen Cooley; 16(5), 487-96 (2004).
Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Matsumoto, Takashi
Multiple Cracking and Fiber Bridging Characteristics of Engineered Cementitious Composites under Fatigue Flexure. — Peerapong Suthiwarapirak, Takashi Matsumoto, and Tetsushi Kanda; 16(5), 433-43 (2004).

Mazzanti, Francesca
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

McCuen, Richard H.
Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Mesbah, A.
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Metcalf, John B.
Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Michael, Antonis P.
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Mohammad, Louay
Advances in Microstructure Characterization, Micromechanics, and Constitutive Modeling of Hot Mix Asphalt. — Eyad Masad and Louay Mohammad; 16(2), 99 (2004).
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Mohammad, Louay N.
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).

Molina, Chiara
Reliability of Porous Materials: Two Stochastic Approaches. — Elsa Garavaglia, Angela Gianni, and Chiara Molina; 16(5), 419-26 (2004).

Morel, J. C.
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Mu, Bin
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Murali Krishnan, J.
Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Nakamura, Shun-ichi
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Napier, J. A. L.
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Nasim, A. S. M.
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Ogunro, V. O.
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Ohkubo, Taka-aki
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Ombres, L.
Cracking and Deformability Analysis of Reinforced Concrete Beams Strengthened with Externally Bonded Carbon Fiber Reinforced Polymer Sheets. — M. A. Aiello and L. Ombres; 16(5), 392-9 (2004).

Oturkar, A.
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Ožbolt, Joško
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Packer, Jeffrey A.
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Palit, S. K.
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Pandey, B. B.
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Pang, Su-Seng
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Papagiannakis, A. T.
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Parameswaran, Venkitanarayanan
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Pascale, Giovanni
Dynamic Testing of Reinforced Concrete Beams Damaged and Repaired with Fiber Reinforced Polymer Sheets. — Barbara Bonfiglioli, Giovanni Pascale, and Sonia Martinez de Mingo; 16(5), 400-6 (2004).

Peterson, Robert L.
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Principi, Paolo
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

Rahimzadeh, Behzad
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Raimondo, Mariarosa
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

Rajagopal, K. R.
Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Rebeiz, K. S.
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Reddy, K. Sudhakar
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Reinhardt, Hans-Wolf
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Rieder, Klaus-Alexander
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Roesler, Jeffery R.
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Roque, R.
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Roy, Amitava
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Sadd, Martin H.
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Sandford, Thomas C.
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Sanjayan, J. G.
Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Sarkar, Shondeep L.
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).

Sata, Vanchai
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Seals, Roger K.
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Seica, Michael V.
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Sen, Rajan
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Serhal, S. P.
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Setunge, Sujeeva
Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Shah, S. P.
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Sheffield, Richard
Investigation of the Gyration Angle of Superpave Gyratory Compactors. — M. Shane Buchanan, Jimmy Brumfield, and Richard Sheffield; 16(5), 444-51 (2004).

Shen, Bin
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Shi, Caijun
Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).

Shon, Chang-Seon
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).

Shukla, Arun
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Soranakom, C.
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Subramaniam, Kolluru V.
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Suleiman, Muhannad T.
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Suthiwarapirak, Peerapong
Multiple Cracking and Fiber Bridging Characteristics of Engineered Cementitious Composites under Fatigue Flexure. — Peerapong Suthiwarapirak, Takashi Matsumoto, and Tetsushi Kanda; 16(5), 433-43 (2004).

Suzumura, Keita
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Świt, Grzegorz
Evaluation of Compliance Changes in Concrete Beams Reinforced by Glass Fiber Reinforced Plastics Using Acoustic Emission. — Grzegorz Świt; 16(5), 414-8 (2004).

Tamuzs, Vitauts
Strengthening of Concrete Structures with Advanced Composite Materials: Prospects and Problems. — Vitauts Tamuzs and Ralejs Tepfers; 16(5), 391 (2004).

Tanigawa, Yasuo
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Tashman, Laith
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Tepfers, Ralejs
Strengthening of Concrete Structures with Advanced Composite Materials: Prospects and Problems. — Vitauts Tamuzs and Ralejs Tepfers; 16(5), 391 (2004).

Thomas, Wilfred H.
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Tittsworth, Roland
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Torres-Acosta, Andrés A.
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Tyrer, Mark
Selection of Cementitious Mixes as a Barrier for Landfill Leachate Containment. — Eshmaiel Ganjian, Peter A. Claisse, Mark Tyrer, and Alan Atkinson; 16(5), 477-86 (2004).

Ulreich, Gregory R.
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Vipulanandan, C.
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).

Walker, P.
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Walker, Peter J.
Strength and Erosion Characteristics of Earth Blocks and Earth Block Masonry. — Peter J. Walker; 16(5), 497-506 (2004).

Wang, Her-Yung
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Wang, Lan
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Wang, Linbing
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Wang, Tien-Chih
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Wang, X.
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Wang, Yongping
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Wartman, Joseph
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Wathugala, G. Wije
Application of a Temperature Dependent Visco-plastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).

Xu; Shilang
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Yang, Eun-Ik
Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Yang, Guiqin
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Yazdani, Frank
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Yi, Seong-Tae
Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

You, Z.
Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Young, D.
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Young, Sian-Yun
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Zaffaroni, G.
Mechanical and Nondestructive Testing to Verify the Effectiveness of Composite Strengthening on Historical Cast Iron Bridge in Venice, Italy. — F. Bastianini, L. Ceriolo, A. Di Tommaso, and G. Zaffaroni; 16(5), 407-13 (2004).

Zanarini, Giorgio
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

Zhao, P. J.
Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Zhou, Xiangming
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Zollinger, Dan G.
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).